










**SUBARU**

**SEAFYA8000**




INSTALLATION AND SAFETY INSTRUCTIONS  
INSTRUCTIONS POUR L'INSTALLATION ET LA SÉCURITÉ  
EINBAU- UND SICHERHEITSHINWIESE  
MONTERING- OCH SÄKERHETSINSTRUKTIONER












1





2




See instructions no 3–8

# INSTALLING

| Model                   | X <sub>min</sub> (mm) | X <sub>max</sub> (mm) |
|-------------------------|-----------------------|-----------------------|
| Subaru roof box Compact | 540                   | 1080                  |





## Check!




If 22–25 mm

Use




3


1




2




4



Attach the roof box to the roof racks on all four attachment point.





5






Stop ratcheting when both hooks meet roof rack

6




7




8

# LOADING

IMPORTANT!  
All load/items are to be fastened  
with the loading straps.



9



| Model                   | X <sub>maxload</sub> |
|-------------------------|----------------------|
| Subaru roof box Compact | 75 kg                |


X<sub>maxload</sub>

10


Check drivers manual for maximum  
permitted roof load of your car.

| Model                   | X <sub>maxweight</sub> |
|-------------------------|------------------------|
| Subaru roof box Compact | 27 kg                  |


X<sub>maxweight</sub> + X<sub>maxload</sub> < max



The roof box is water  
resistant, not completely  
water proof.




11



12


Make sure that the top is locked.  
The box is properly closed when top covers bottom and you are unable to push top upwards.




13

Turn on/off light by placing finger on the sensor buttons.

To change battery, release the lamp by sliding it sideways.








Please consider difference in car behavior (crosswinds, cornering and braking)




max  
km/h







350 mm

Place sticker on  
dashboard

**C**



**Check!**







**SUBARU**

V-01



Autoform AB  
Box 155  
SE-782 24 Malung  
Sweden

Phone: +46(0)280-59 33 00  
E-mail: [info@autoform.se](mailto:info@autoform.se)  
[autoform.se](http://autoform.se)

For energy saving and safety reasons,  
remove roof box and roof racks when not in use.